



Fuji Keizai (Labour shortage and Potential Demand & Consideration on Automated Robots) Results for 2022 Sales Quantity and Value for Sushi Making Robot

High Performance & User Friendly



High Quality!

Suzumo original technology enables you to get excellent quality

High Productivity!

1,250 rice sheets per hour
*Double sheets supply mode

High Capacity!

Max. 10kg of cooked rice

Easy Set Up!

17% smaller than conventional model

Easy Operation!

Only a few steps to make rice sheet

Easy Maintenance!


5% fewer parts than conventional model

How to make



Option


Pick-up Plate



Menu



Dimensions



Specifications

Model	SVS-FCA-EH (UL/NSF standards certified) SVS-FCA (CE & UKCA certification declared)
Input	AC110-120V (SVS-FCA-EH) AC220-240V (SVS-FCA) 50/60Hz
Power Rating	100W (SVS-FCA-EH) 110VA (SVS-FCA)
Capacity	Small roll: 1,250 sheets/hr (Thickness 7mm, Length 80mm, Double Mode) Medium roll: 1,000 sheets/hr (Thickness 8mm, Length 110mm, Double Mode) Large roll: 750 sheets/hr (Thickness 12mm, Length 160mm)

Hopper Capacity	Approx. 10kg of cooked rice
Weight	31kg
Dimensions	350W×468D×570Hmm (Table closed) 350W×690D×570Hmm (Max. table position)
Rice Amount	Approx. 70-300g
Power Cable	Approx. 2m
Functions	Double sheets supply mode Automatic supply mode 3 sizes can be memorized

*Designs and specifications are subject to change without notice.

*While capacity expresses the machine's performance capabilities, it is predicated upon the machine being operated correctly.

Contact Us

Suzumo Machinery Co., Ltd.

Global Business Division

Tel. +81 3-3993-1407

e-mail overseas@suzumo.co.jp

Contact in North America

Suzumo International Corporation

Head Office (CA) : Tel. +1 310-328-0400

East Office (NJ) : Tel. +1 201-568-1900

e-mail sic@suzumokikou.com

Visit Our Website

<https://www.suzumokikou.com>




Contact in Singapore

Suzumo Singapore Corporation Pte. Ltd.

Tel. +65 6254-2080

e-mail sales@suzumo-sg.com

Dimensions



Unit : mm

Specifications

Model	SVS-FCA-EH (UL/NSF standards certified) SVS-FCA (CE & UKCA certification declared)
Input	AC110-120V (SVS-FCA-EH) AC220-240V (SVS-FCA) 50/60Hz
Power Rating	100W (SVS-FCA-EH) 110VA (SVS-FCA)
Capacity	Small roll: 1,250 sheets/hr (Thickness 7mm, Length 80mm, Double Mode) Medium roll: 1,000 sheets/hr (Thickness 8mm, Length 110mm, Double Mode) Large roll: 750 sheets/hr (Thickness 12mm, Length 160mm)

Hopper Capacity	Approx. 10kg of cooked rice
Weight	31kg
Dimensions	350W×468D×570Hmm (Table closed) 350W×690D×570Hmm (Max. table position)
Rice Amount	Approx. 70-300g
Power Cable	Approx. 2m
Functions	Double sheets supply mode Automatic supply mode 3 sizes can be memorized

*Designs and specifications are subject to change without notice.

*While capacity expresses the machine's performance capabilities, it is predicated upon the machine being operated correctly.

Contact Us

Suzumo Machinery Co., Ltd.
Global Business Division
Tel. +81 3-3993-1407
e-mail overseas@suzumo.co.jp

Contact in North America

Suzumo International Corporation

Head Office (CA) : Tel. +1 310-328-0400
East Office (NJ) : Tel. +1 201-568-1900
e-mail sic@suzumokikou.com

Visit Our Website

<https://www.suzumokikou.com>



Contact in Singapore

Suzumo Singapore Corporation Pte. Ltd.

Tel. +65 6254-2080
e-mail sales@suzumo-sg.com